

ClothingPad Technical Specifications

Product Dimensions

Product Dimensions (L x W x H):	80.3 x 110 x 97 in (204 x 280 x 247 cm)
Product Weight:	918.6 lb (417 kg)
Shipping Dimensions:	92 x 42 x 28 in (234 x 107 x 70 cm), 414.5 lb (188 kg) 58 x 46 x 18 in (147 x 116 x 46 cm), 257.9 lb (117 kg) 93 x 63 x 27 in (235 x 160 x 68 cm), 650.4 lb (295 kg)
Shipping Weight (Total):	1322.8 lb (600 kg)
Max Object Shooting Size:	
Top Shots:	74 x 48 in (188 x 122 cm)
Max Object Weight:	44 lb (20 kg)
Assembly / Disassembly:	Planned / Documented
Mobility:	Locking Casters and Adjustable Feet

Computer / Software Requirements

Operating System:		Windows / Mac (Software Requirements Page)
Ports:	Table:	3 Metal Connectors (left rear side, left back side, right rear side), 5 Power Receptacles (4 at 4 corners, 1 at front left), 1 USB (front left), 1 Shutter Release (front left), 1 Power Port (back left)

Control box:	2 Power Receptacles, 2 USB extensions, 2 Shutter Release extensions
Cables:	1x 10ft USB B to A, 1x 10ft USB B to C 1x 16ft Power Cord

Power Specifications

Amps, Watts, Voltage:	6.2 Amps, 620 Watts, 100 ~ 240 Volts

Lighting Specifications

6 Dimmable LED Light Sources:	Front Left, Back Left, Bottom Left, Front Right, Back Right, Bottom Right
Color Temperature:	5700K ± 200K
Color Rendering Index (CRI):	95+
Dimming Control:	0 - 100% in 1% increments
LED Service Life:	50,000+ Hours

Output Options

Still:

Output Format:	JPG, PNG, TIFF, TIFFA, RAW, PSD, WebP, HTML, TARGA, Raw JPG

Video:

Max Video Size:	8K (camera dependent)
Video Output:	MOV, MP4
Compression:	H264, H265

Parts and Accessories

1. Cross Beam
2. 2 Fixing Plates (1 for Support Rack and 1 for Vertical Arm)
3. 2 L-Shaped Fixing Plates
4. 2 Light Support Studs
5. 4 Light Arms
6. 4 Holding Brackets
7. 2 Canopy Rods
8. Fabric Canopy
9. Vertical Base
10. Vertical Arm
11. 2 Base Covers
12. 2 L-Shaped Camera Mount Brackets

13. Horizontal Arm
14. #5, #6 and #10 Allen Keys
15. 8 M8 Allen Screws
16. 36 Sets of M8 Allen Screw with Spring and Flat Washers
17. 4 Sets of M12 Allen Screws with Spring and Flat Washers
18. 4 M6 Small White Hand Screws
19. 10 M8 White Hand Screws (8 short and 2 long)
20. #24 Wrench
21. 8 Sets of Clamp Lever with Flat Washer
22. System Power Cable (15 Amp)
23. 2 USB Cables (1 B to A and 1 B to C)
24. USB Extension Cable
25. Ortery Capture Software Box
26. Fabric Table Cover
27. Measurement Calibration Tool and 4 Plastic Caps (spare)
28. 2 Support Racks
29. 4 Light Panels
30. 4 Light Diffusion Covers
31. 4 Light Power Cables
32. Light Table
33. 2 Acrylic Table Diffusion Plates (1 spare)